INDEX TO VOLUME XVIII

New names and the final members of new combinations are in **bold face type**

Abies, 237, 275, 276; amabilis, **243**; arizonica, 240; balsamea, 237; 274; concolor, 237, 238; Fraseri, 274; grandis, 237, 243; lasiocarpa, 238, 239, 240, 274, 275; pectinata, **274**
Acalypha marginata, 280
Acer, 37, 38, 249; Negundo, **61**, 69; pennsylvanicum, 35; platanoides, 37; rubrum, 35; saccharinum, 249, 254; Saccharum, 35; spicatum, 35
Aecidium, 43, 145, 151, 154; abscedens, 43; Allii, 154; Alstroemeriae, 154, 155; aroideum, 147; Betheli, 188; Bunsteri, 160, 161; Compositarum, 150; desmium, 46; **Millae**, 151, 152; Oxalidis, 44; Pasitheae, 152; passifloricola, 144, 145; Stylochitonis, 147; **tenebrosum**, 155
Aesculus Hippocastanum, 279
Agaricus diminutivus, 288
Ailanthus glandulosa, 69
Alchornea, 12; cordata, 21
Aldona, **102**
Allium **Cepa**, **123**
Alnus rhombifolia, 248; rubra, 248
Alstroemeria, 154, 155; inodora, 157; Isabellana, 157; Ligtu, 154; Pelegrina, 154; revoluta, 155
Amanita **arkansana**, 97, 99; Caesaria, 98, 99; phalloides, 99; **rubescens**, **99**
Amazonia, 1, 2, 106, 107, 109; **Laguncullariae**, 107; Psychotriae, 108, 110
Ambrosia, 150
Amorpha fruticosa, 61
Amphisphaeria papilla, 248; **pelorospora**, **247**
Amygdalus Persica, 254, 279
Andropogon bicornis, 122
Aneimia fulva, **140**
Antennellina hawaiiensis, 219
Antrophyum lanceolatum, **45**
Araiospora, 172, 176; **coronata**, 176; pulchra, 172, 176; **spinosa**, 172, 174, 175, 176
Araiospora from British Guiana, A new species of, David H. Linder, 172
Arctium, 33
Arcyria denudata, 128; incarnata, 128
Aristolochia, 5
Arkansas, A new Amanita from, H. R. Rosen, 97
Arnica, 150
Artemisia tridentata, 248
Arthur, J. C. and F. D. Kern, Problem of terminology in the rusts, The, 90
Ascophanus, 288
Aspergillus, 288
Asterella **Myricae**, 163
Asterina, 102, 109; acanthopoda, 110; Arnaudia, 110; Chrysophylli, 110; chrysophylliella, 110; Clermontiae, 110; correacola, 110; dilabens, 110; diplocarpa, 110; dubii, 110; Fawcetti, 110; Gouldiae, 105, 110; Hippocrateae, 110; Ildefonsiae, 110; inaequalis nodulosa, 105, 110; inquinans, 218; kauaiensis, 110; Lobeliae, 110; Rickii, 110; Schröteri, 105, 110; stricta, 105
Asterinella, 109; Hippeastri, 110; Ixorae, 110; multilobata, 110; Phoradendri, 110
Asterosporium Hoffmanni, 269
Asterula inquinans, 218
Astragalus, 76
Aulographum, 109; culmigenum, 110

Baccharis, 279
Bacillus, 23, 24, 25; amylovorus, 23, 25, 201, 204
Bacillus amylovorus, The number and arrangement of flagella of the fire blight pathogen, H. R. Rosen, 23
Bacterium amylovorus, 25; tumefaciens, 193–195, 197–205
Bacterium tumefaciens, Morphological notes together with some ultrafiltration experiments on the crown-gall pathogene, H. R. Rosen, 193
Badhamia **calvescens**, 129; capsulifera, 126; papaveracea, 129; utricularis, 126

INDEX TO VOLUME XVIII

New names and the final members of new combinations are in **bold face type**

Abies, 237, 275, 276; amabilis, **243**; arizonica, 240; balsamea, 237; 274; concolor, 237, 238; Fraseri, 274; grandis, 237, 243; lasiocarpa, 238, 239, 240, 274, 275; pectinata, **274**
Acalypha marginata, 280
Acer, 37, 38, 249; Negundo, **61**, 69; pennsylvanicum, 35; platanoides, 37; rubrum, 35; saccharinum, 249, 254; Saccharum, 35; spicatum, 35
Aecidium, 43, 145, 151, 154; abscedens, 43; Allii, 154; Alstroemeriae, 154, 155; aroideum, 147; Betheli, 188; Bunsteri, 160, 161; Compositarum, 150; desmium, 46; **Millae**, 151, 152; Oxalidis, 44; Pasitheae, 152; passifloricola, 144, 145; Stylochitonis, 147; **tenebrosum**, 155
Aesculus Hippocastanum, 279
Agaricus diminutivus, 288
Ailanthus glandulosa, 69
Alchornea, 12; cordata, 21
Aldona, **102**
Allium **Cepa**, **123**
Alnus rhombifolia, 248; rubra, 248
Alstroemeria, 154, 155; inodora, 157; Isabellana, 157; Ligtu, 154; Pelegrina, 154; revoluta, 155
Amanita **arkansana**, 97, 99; Caesaria, 98, 99; phalloides, 99; **rubescens**, **99**
Amazonia, 1, 2, 106, 107, 109; **Laguncullariae**, 107; Psychotriae, 108, 110
Ambrosia, 150
Amorpha fruticosa, 61
Amphisphaeria papilla, 248; **pelorospora**, **247**
Amygdalus Persica, 254, 279
Andropogon bicornis, 122
Aneimia fulva, **140**
Antennellina hawaiiensis, 219
Antrophyum lanceolatum, **45**
Araiospora, 172, 176; **coronata**, 176; pulchra, 172, 176; **spinosa**, 172, 174, 175, 176
Araiospora from British Guiana, A new species of, David H. Linder, 172
Arctium, 33
Arcyria denudata, 128; incarnata, 128
Aristolochia, 5
Arkansas, A new Amanita from, H. R. Rosen, 97
Arnica, 150
Artemisia tridentata, 248
Arthur, J. C. and F. D. Kern, Problem of terminology in the rusts, The, 90
Ascophanus, 288
Aspergillus, 288
Asterella **Myricae**, 163
Asterina, 102, 109; acanthopoda, 110; Arnaudia, 110; Chrysophylli, 110; chrysophylliella, 110; Clermontiae, 110; correacola, 110; dilabens, 110; diplocarpa, 110; dubii, 110; Fawcetti, 110; Gouldiae, 105, 110; Hippocrateae, 110; Ildefonsiae, 110; inaequalis nodulosa, 105, 110; inquinans, 218; kauaiensis, 110; Lobeliae, 110; Rickii, 110; Schröteri, 105, 110; stricta, 105
Asterinella, 109; Hippeastri, 110; Ixorae, 110; multilobata, 110; Phoradendri, 110
Asterosporium Hoffmanni, 269
Asterula inquinans, 218
Astragalus, 76
Aulographum, 109; culmigenum, 110

Baccharis, 279
Bacillus, 23, 24, 25; amylovorus, 23, 25, 201, 204
Bacillus amylovorus, The number and arrangement of flagella of the fire blight pathogen, H. R. Rosen, 23
Bacterium amylovorus, 25; tumefaciens, 193–195, 197–205
Bacterium tumefaciens, Morphological notes together with some ultrafiltration experiments on the crown-gall pathogene, H. R. Rosen, 193
Badhamia **calvescens**, 129; capsulifera, 126; papaveracea, 129; utricularis, 126

Bagnisiopsis **Eucalypti**, 250
Balladyna, 102
Banana freckle and leaf spot, O. A. Reinking, 185
Berberis, 51, 57, 279; vulgaris, 57
Berlesiella setosa, 82
Bermuda Islands, Mycological work in the, Fred J. Seaver, 137
Bethel, Ellsworth, Fred J. Seaver, 187
Betula, 65; alba, 259–263, 266, 268; papyrifera, 36
Bidens, 221; cynapiifolia, 44; leucantha, 122, 123; pilosa, 115, 122, 123
Bifusella **Abietis**, 239, 240
Bigelovia graveolens, 79
Bit of Polynesian mycology, A, Thomas H. Macbride, 125
Blechnum hastatum, 45; occidentale, 45
Boehmeria cylindrica, 31
Boletinus, 288
Boltonia diffusa, 245
Bomarea, 155, 156; Caldasiana, 155; ovata, 155
Borreria verticillata, 42
Botryosphaeria, 206, 208, 214; Gleditschiae, 66; Ribis, 208, 214, 278–281; Ribis chromogena, 214, 278, 279, 281, 282
Botrytis, 228
British Guiana, A new species of Araiospora from, David H. Linder, 172
British Guiana and Trinidad, Species of Meliola and Irene from, F. L. Stevens and L. R. Tehon, 1
Bromus, 88; hordeaceus, 87; tectorum, 88, 89
Buchenavia capitata, 41
Bumelia lycioides, 167
Burrillia, 124; Echinodori, 124
Byrsonima, 10, 11, 41

Cacao, 217
Caeoma superficialis, 46
Calastoma cinnabarium, 288
Calocera cornea, 288
Calonectria polythalama, 131
Calothyriopeltis, 109; Scaevolae, 110
Calyptospora, 276; columnaris, 275, 276
Calyptospora columnaris and Peridermium ornamentale, Observations on, James Robert Weir, 274
Camarosporium, 62; fenestratum, 62; Laburni, 60; Pseudoacaciae, 62; pubens, 84; Robiniae, 62
Camellia japonica, 168
Campelia Zanonia, 40
Canna, 161
Caragana arborescens, 58
Carex, 38, 139; cherokeensis, 168
Cassia, 18, 19, 279
Castanea, 179
Ceanothus americanus, 80, 166
Cedrela odorata, 124
Cenangium Abietis, 183; naucosum, 77
Cercis canadensis, 254
Cercospora Boehmeriae, 31; Maianthemi, 179; **Xyridis**, 168
Cerotelium, 41, 46; alienum, 47; desmium, 46; Gossypii, 46; Spondiadis, 47
Ceuthospora, 254; **Populi**, 253
Chaetothyrium hawaiiense, 219
Chamaecyparis nootkatensis, 246
Chrysopsora, 48, 49; Cestri, 49; Gymnoxidis, 48; Mikaniae, 49
Chrysopsora, Preliminary note on the genus, H. S. Jackson, 48
Cintractia, 119; affinis, 119; axicola, 115, 119; axicola minor, 120; axicola, f. spicularum, 121; Caricis, 38; Junci, 38; Krugiana, 119, 120; leucoderma, 115, 119–121; leucoderma, f. utriculicola, 121; limitata, 115, 120; Sorghivulgaris, 119; minor, 115, 120; utriculicola, 120, 121
Cirsium, 150
Cissus acida, 121; erosa, 121; sicyoides, 121; trifoliata, 121
Citrus, 206, 208, 210, 211, 214, 285; decumana, 219; hawaiiense, 219
Citrus and other hosts, Two species of Physalospora on, Neil E. Stevens, 206
Cladosporium cucumerinum, 31
Clinoconidium farinosum, 43
Coccolobis, 5, 6
Coccomyces lutescens, 33, 34
Cocos Alphonsei, 218, 219
Coelosphaeria radicalis, 69
Coleosporium, 49
Colutea arborescens, 61
Comatricha nigra, 127; typhoides, 127
Commelina quitensis, 148
Comptonia asplenifolia, 74
Corema Conradii, 73
Coremium **gracile**, 131
Cornus florida, 33
Corylus americana, 32, 65; rostrata, 32, 65
Coryneum, 258, 265, 266, 268, 270, 271; disciforme, 270, 271; Kunzei, 266, 271; umbonatum, 270, 271

Craterium, 126; minutum, 127
Cronartium Comandrae, 188
Croton, 21
Crotonocarpia, 55
Crown-gall pathogene, Bacterium tumefaciens, Morphological notes together with some ultrafiltration experiments on the, H. R. Rosen, 193
Crumenula pinicola, 181
Cryptosporium acicolum, 251
Cucumis sativa, 31
Cucurbidothis, 81
Cucurbitaria acervata, 64; Ailanthi, 60, 63, 69; alnea, 79; Amorphae, 60, 63; arizonica, 57, 64; Astragali, 64, 76; Berberidis, 51, 54, 56, 57, 76; Bigeloviae, 79; borealis, 72; brevibarbata, 79; callista, 80; Caraganae, 57, 58, 59, 61; Caraganae Elaegni, 59, 61, 63; Cassandrae, 74; Ceanothi, 80, 250; Celtidis, 72; cinnabarina, 80; citricola, 80; coccinea, 56, 81; Coluteae, 60, 63; Comptoniae, 74, 75; confluens, 81; congesta, 74; conglobata, 65, 67, 81; Coremae, 73; Coryli, 65; Crataegi, 75; cupularis, 56, 82; delitescens, 75, 78; echinata, 82; Ellisii, 76; elongata, 57, 59, 60, 62, 65, 66, 71, 249; erratica, 82; Fraxini, 65, 249; Fraxini effusa, 83; Gleditschiae, 66; Hyperici, 67; insecura, 73; juglandina, 73; junipericola, 67; Karstenii, 67; Kelseyi, 67; Laburni, 57–59, 60; Ligustri, 68; laburnicum, 60; longitudinalis, 76; macilenta, 83; Mezerei, 68; minima, 76, 78; molliuscula, 68; morbosa, 83; naucosa, 77, 249; Negundinis, 61, 63; nidula, 68; occidentalis, 83; occultata, 68; parasitans, 69; pithyophila, 81, 83; pubens, 84; quercina, 77; radicalis, 69; Ravenelii, 69; recuperata, 66; Ribis, 75, 77, 78; rimulina, 74, 78; Rosae, 69; rubra, 56; salicina, 70; Salicis, 65; seriata, 84; setosa, 74, 82; Shepherdiae, 70; solitaris, 73; Sorbi, 78; Spartii, 61, 70; stenocarpa, 71; stipata, 71; tumorum, 84; typhina, 71, 73; ulmicola, 71; umbilicata, 79; vagans, 84; varia, 72
Cucurbitaria in North America, A monographic study of the genus, Donald Stuart Welch, 51
Cultural life histories of Melanconis and Pseudovalsa, Lewis E. Wehmeyer, 257
Currant cane blight fungus on numerous hosts in the southern states, Occurrence of the, Neil E. Stevens, 278
Curreya, 70; excavata, 250; Shepherdiae, 70
Cylindroöpuntia, 132
Cylindrosporium, 33; Padi, 34
Cypella, 159
Cyperus, 141–143; cayennensis, 140, 144; diffusus, 141, 142; distans, 144; esculentus, 141; ferax, 141, 142, 143; Grayii, 120; Haspan, 141; lenticularis, 141; ligularis, 115, 120; Meyerianus, 143; Olfersianus, 141; sphacelatus, 115, 120
Cystothyrium **Abietis**, 240
Cytisus Laburni, 59
Cytospora, 253

Dacryomyces chrysocomus, 288
Darluca Filum, 252
Dasyscypha fuscosanguinea, 236
Dearness, John, New and noteworthy fungi—IV, 236
Dearnessia, 82
Dennstaedtia rubiginosa, 46
Desmella, 46; Aneimiae, 140; Gymnogrammes, 46; superficialis, 46
Development of the perithecia in the Microthyriaceae and a comparison with Meliola, The, Ruth Winifred Ryan, 100
Diaporthe albocarnis, 247; impulsa, 247; **melanocarpa**, 247; **Ostryae**, 246, 247; ostryigena, 247
Diatrype, 267
Dibotryon morbosum, 83
Dicaeoma canaliculatum, 141; Cannae, 161; Cyperi, 140; Lygodii, 140; obscurum, 149; Pallor, 156; Scleriae, 144; Sorghi, 44
Dichaena **Pyri**, 251
Dichomera Elaeagni, 59; Laburni, 60
Dictyodothis excavata, 250
Diderma hemisphericum, 127
Didymella, 220; **Cocos**, 219
Didymium squamulosum, 127; xanthopus, 129
Dimerium, 164; **Juniperi**, 244; **nigrosporum**, 164
Dimerosporium, 102; **Abietis**, 243
Dimorphandra latifolia, 19
Diorchidium pallidum, 157, 158
Dioscorea, 157, 158; grandiflora, 157; trifida, 158
Diplodia, 84, 206, 210, 211, 214, 217; cacaoicola, 217; Cytisi, 60;

gossypina, 208, 211, 212; natalensis, 208, 211, 212, 217; tumorum, 84
Diplodiopsis **Robiniae**, 255
Discosia artocreas, 180
Distichlis spicata, 251
Doassansia, 124; Hypoxidis, 157; Sintenisii, 124
Dothidea, 248
Dothiorella minor, 249; radicalis, 69; **scopulina**, 253
Dracaena, 222
Dracocephalum parviflorum, 252
Dryopteris tetragonia, 46

Echidnodella, 109
Echidnodes, 109
Echinodorus cordifolius, 124
Edgerton, C. W. and E. C. Tims, Notes on Testicularia Cyperi, 169
Elaeagnus, 58; angustifolia, 61; argentea, 59, 61
Ellisiodothis inquinans, 218
Ellsworth Bethel, Fred J. Seaver, 187
Endodothella, 251; Tracyi, 251
Endophyllum, 93
Englerulaster, 109; orbicularis, 110; Papawiae, 110
Enteridium, 131; liceoides, 127, 128; olivaceum, 127, 128; splendens, 128
Entyloma australe, 123; Besseyi, 123; guaraniticum, 123; Lobeliae, 115, 123; Physalidis, 123
Erionema, 126
Eriosporangium Pallor, 156
Erwinia amylovora, 25
Erythronium, 225, 228, 229, 234; albidum, 225, 226, 229; americanum, 225, 228, 229, 233
Eucalyptus, 250, 251
Eupatorium urticaefolium, 184
Eutypa, 244
Eutypella sepulta, 244
Exoascus, 35, 184
Exophoma Magnoliae, 221

Fenestella, 67, 83; minor, 67; princeps, 75; vestita, 84
Ficus aurea, 252
Fimbristylis diphylla, 115, 119; ferruginea, 115, 119
Florida fungi, Some, Amy G. Weedon, 218
Fomes, 111
Fracchiaea brevibarbata, 79; callista, 80; heterogenea, 79
Fraxinus, 29, 65, 249; americana, 66

Geminella exotica, 121
Gibbera, 246
Gibberidea acervata, 64; Ailanthi, 61; Amorphae, 61; Astragali, 76; Berberidis, 57; borealis, 72; Caraganae, 58; Coluteae, 61; Comptoniae, 74; confluens, 81; congesta, 74; conglobata, 65; Coremae, 73; Coryli, 65; Crataegi, 75; delitescens, 75; elongata, 61; Fraxini, 65; Gleditschiae, 66; insecura, 73; Karstenii, 67; Kelseyi, 67; Laburni, 59; Ligustri, 68; longitudinalis, 76; naucosa, 77; occultata, 68; pithyophila, 83; radicalis, 69; Ravenelii, 69; Ribis, 78; Rosae, 69; salicina, 70; setosa, 82; solitaria, 73; Sorbi, 78; Spartii, 70; stenocarpa, 71; tumorum, 84; ulmicola, 71; umbilicata, 79
Gilliesia graminea, 153; monophylla, 153
Gloeosporium, 32, 179, 236, 241; Coryli, 31; quercinum, 179; septorioides, 32
Gnomonia Rubi, 34, 35
Godronia Betheli, 188
Gonatobotryum maculicola, 180
Goplania, 49
Gossypium hirsutum, 279
Gouania, 14
Graphiola Phoenicis, 223
Guajava, 15
Guignardia **Boltoniae**, 245; **Lonicerae**, 245
Gymnosporangium Betheli, 188

Habranthus andicola, 156; chilensis, 156
Hamamelis virginiana, 181
Haplosporella **amygdalina**, 254; chlorostroma, 62; **Lathami**, 255
Helianthus, 150
Hemitrichia serpula, 128
Hendersonia, 269, 270; polycystis, 270
Heterosporium, 223; **Magnoliae**, 222
Hevea, 217
Hibiscus syriacus, 252
Hicoria Pecan, 279
Hippeastrum bicolor, 156; chilense, 156; pratense, 156
Hirt, Ray R., Stratified sporophores of Polyporus gilvus, 111
Holcus lanatus, 88; Sorghum, 119
Holway collections—I, The rusts of South America based on the, H. S. Jackson, 139
Holwayella Mikaniae, 49
Homostegia diplocarpa, 251

Hudsonia tomentosa, 73
Hypocrea molliuscula, 68
Hypoderma **Hedgcockii**, 240; lethale, 236, 241
Hypodermella **Laricis**, 241; montivaga **octospora**, 242
Hypospila **californica**, 248
Hypoxis decumbens, 157
Hysterographium **Cocos**, 218, 219

Icica, 18
Ilex coriacea, 164
Inga, 20
Irene, 1; **Alchorneae**, 4, 21; **Crotonis**, 4, 20; **cubitella**, 4, 15, 18, 19; cubitorum, 4, 15 19; glabroides, 4, 18; **Ingae**, 4, 20; **Marcgraviae**, 4, 22; **sidicola**, 4, 21; toruloidea, 4, 18
Iresine Celosia, 44
Iris, 222

Jacaranda, 16
Jackson, H. S., Preliminary note on the genus Chrysopsora, 49; Rusts of South America based on the Holway collections—I, The, 139
Juncoides excelsum, 149
Juncus cyperoides, 150; dichotomus, 151; Dombeyanus, 150; imbricatus, 150; involucratus, 150
Juniperus bermudiana, 138; occidentalis, 244
Jussiaea angustifolia, 42; peruviana, 42; suffruticosa, 42

Kauffman, C. H., Polyporus anceps and Polyporus immitis, 27
Kern, Frank D. and H. H. Whetzel, Some new and interesting Porto Rican rusts, 39
Kern, F. D., J. C. Arthur and, Problem of terminology in the rusts, The, 90
Kern, F. D., H. H. Whetzel and, Smuts of Porto Rico and the Virgin Islands, The, 114
Klebahnia Bidentis, 44
Krieger, Louis C. C., Sketching fleshy fungi with the aid of the camera lucida, 132
Kuehneola aliena, 47; Gossypii, 46
Kyllinga brevifolia, 144; pumila, 144

Laguncularia racemosa, 279
Lamproderma Sauteri, 127; violaceum, 127
Lantana Camara, 47; involucrata, 137
Larix, 27, 183; laricinum, 243; Lyallii, 243; occidentalis, 241; pinastri, 243
Lasiacis, 43
Lembosia, 109; ananensis, 110; Coccolobae, 110; portoricensis, 110; Sclerolobii, 110
Leptoglossum, 288
Leptostroma, 240, 243
Leptothyrium Coryli, 31
Leucocoryne alliacea, 153
Leucothoë axillaris, 164
Libertella betulina, 260
Linder, David H., New species of Araiospora from British Guiana, A, 172
Liquidambar Styraciflua, 279
Liriodendron Tulipifera, 279
Lisianthus grandiflorus, 15
Lobelia, 123; Cliffortiana, 115, 123; inflata, 123
Lonicera hispidula, 245
Lophodermium **australe**, 242; **Laricis**, 243; pinastri, 243
Lycium vulgare, 254
Lycogala, 131; epidendrum, 128
Lycoperdon Zeae, 117
Lygodium polymorphum, 45, 140; volubile, 140

Macbride, Thomas H., Bit of Polynesian mycology, A, 125
Macrophoma, 222; Boltoniae, 245; Musae, 185, 186
Macrophomopsis Dracaenae, 222
Magnolia, 75, 279; grandiflora, 221, 222
Maianthemum canadense, 179
Malanea macrophylla, 17
Manihot palmata, 11
Maranta arundinacea, 162
Marcgravia, 22
Mariscus ligularis, 120
Marssonia Martini, 32; quercina, 32; quercina major, 32
Massaria, 270; argus, 258; inquinans, 258; platanoides, 258
Meibomia, 8
Melampsora Bigelowii, 183
Melanconiella, 258; decorahensis, 261
Melanconis, 257, 258, 260, 261, 266, 271; Alni, 261; decoraensis, 261, 262, 271; elliptica, 267; lanciformis, 267, 270; longipes, 264; marginalis, 261; spodiaea, 262; stilbostoma, 259, 261, 271
Melanconis and Pseudovalsa, Cultural life histories of, Lewis E. Wehmeyer, 257

Melanconium, 257, 261, 263, 271; betulinum, 260; bicolor, 260, 271; elevatum, 260; sphaeroideum, 261
Melanomma occidentale, 83
Meliola, 1–3, 6–8, 10, 11, 13, 15, 16, 22, 101–103, 105–109, 164; Acalyphae, 9; aciculosa, 22; **Alchorneae**, 4, 12; **amphigena**, 4, 16; ampulifera, 9; anceps, 15; **angusta**, 3, 6; **Aristolochiae**, 4; asterinoides, 106; bayamonensis, 20; bidentata, 110; brasiliensis, 110; Byrsonimae, 10; **byrsonimicola**, 3, 10; **byrsonimina**, 3, 10; Calophylli, 110; calva, 19; Canarii, 12; **Coccolobis**, 5, 6; confragosa, 21; **conigera**, 3, 9; crenatissima, 13; cyclopoda, 110; Cyperi, 110; Dieffenbachiae, 110; **Euphorbiae**, 3, 11; fuscidula, 8, 14; glabroides, 18; **gnathonella**, 3, 16; gymnanthicola, 8; hyptidicola, 110; Imperatae, 7; irregularis, 110; Juddiana, 110; Kaduae, 110; Koae, 110; Laguncullariae, 107, 109, 110; **Lisianthi**, 3, 15; longipoda, 7, 17, 110; Lucumae, 10; Lyoni, 110; macrochaeta, 11; Makilingiana, 5; **Malaneae**, 3, 17; **Manihot**, 3, 11; Marantae, 110; Marcgraviae, 22; maricaensis, 110; **Meibomiae**, 4, 7; Merremiae, 6; Merrillii, 13; microspora, 11, 17; **olecranonis**, 3, 15; panicicola, 5; paraensis. 16; **pinicola**, 244; **Pithecolobii**, 3, 9; Popoiviae, 7; praetervisa, 6; Psychotriae, 17, 106, 109; rectangularis, 5, 6; **rhamnicola**, 4, 14; rizalensis, 10; Roureae, 17; Sandorici, 19; **serjaniicola**, 4, 14; **Tapirirae**, 4, 13; tapiririicola, 4; toruloidea, 18, 20, 21, 110; **trinidadensis**, 4, 8; usteriana, 21; **varicuspis**, 4, 7; velutina, 15
Meliola, The development of the perithecia in the Microthyriaceae and a comparison with, Ruth Winifred Ryan, 100
Melogramma Gleditschiae, 66
Metasphaeria, 220; Cocoes, 220; cocogena, 220; Spegazzinii, 220
Micrococcus amylovorus, 198
Microdiplodia, 254
Microthyriaceae and a comparison with Meliola, The development of the perithecia in the, Ruth Winifred Ryan, 100
Mikania, 49
Miles, L. E., New species of fungi from Mississippi, 163
Milesia Australis, 45; Blechni, 45
Milla Poeppigiana, 151, 152
Mississippi, New species of fungi from, L. E. Miles, 163
Monochaetia **Camelliae**, 167; taphrinicola, 32
Monographic study of the genus Cucurbitaria in North America, A, Donald Stuart Welch, 51
Montezuma speciosissima, 46
Morenoella, 109; Calami, 110; decalvans Laugeriae, 110; decalvans Rondeletiae, 110; decalvans Stigmatophylli, 110; impetiolaris, 110; Laugeriae, 110; Melastomacearum, 110; Miconiae, 110; miconicola, 110; Pothoidei Laevigatae, 110; Psychotriae, 110
Morinda citrifolia, 219
Morphological notes together with some ultrafiltration experiments on the crown-gall pathogene, Bacterium tumefaciens, H. R. Rosen, 193
Musa, 186; paradisiaca, 185
Mycological notes for 1924, L. O. Overholts, 31
Mycological notes for 1925, L. O. Overholts, 179
Mycological work in the Bermuda Islands, Fred J. Seaver, 137
Mycophagy, F. J. Seaver, 94
Mycosphaerella **Leucothoës**, 164; **Myricae**, 165; **Pachystimae**, 246; pardolata, 165; **stromatoidea**, 245
Mykosyrinx Cissi, 121
Myriangium **Sabaleos**, 218
Myrica carolinensis, 163, 165, 255; germanica, 74
Myxocyclus confluens, 270

Naemospora crocea, 260
Nectandra, 18
Nectria, 56; cinnabarina, 80; coccinea, 81
New Amanita from Arkansas, A, H. R. Rosen, 97
New and noteworthy fungi—IV, John Dearness, 236
New species of Araiospora from British Guiana, A, David H. Linder, 172
New species of fungi from Mississippi, L. E. Miles, 163
Nigredo Celosiae, 44; Commelinae, 149; Junci, 150; proba, 160; Rynchosporae, 146; Scleriae, 145; Silphii, 150

Nitschkia cupularis, 56, 82; **radicalis**, 69
North American species of Sclerotinia—I, H. H. Whetzel, 224
Notes on Testicularia Cyperi, C. W. Edgerton and E. C. Tims, 169
Notes on the Ustilagineae of Washington, George L. Zundel, 87
Nothoholcus lanatus, 88
Nothoscordum, 152
Number and arrangement of flagella of the fire blight pathogen, Bacillus amylovorus, The, H. R. Rosen, 23
Nyssa, 247

Observations on Calyptospora columnaris and Peridermium ornamentale, James Robert Weir, 274
Occurrence of the currant cane blight fungus on numerous hosts in the southern states, Neil E. Stevens, 278
Ocotea leucoxylon, 43
Opuntia, 132
Ornithogalum biflorum, 153
Ostrya virginiana, 247
Otthia, 84; alnea, 79; Gleditschiae, 66; morbosa, 83; seriata, 84
Overholts, L. O., Mycological notes for 1924, 31; for 1925, 179

Pachystima Myrsinites, 246
Paeonia, 253
Panicum, 43
Pasithea coerulea, 152
Paspalum, 117, 118; notatum, 118
Passiflora biflora, 145; rubra, 145; tricuspis, 145; tuberosa, 145
Peckiomyces, 82
Pentaclethra macroloba, 9
Peridermium Betheli, 188; ornamentale, 276, 277
Peridermium ornamentale, Observations on Calyptospora columnaris and, James Robert Weir, 274
Persea, 208, 210
Persica vulgaris, 75
Pezizella, 236; **minuta**, 236; ontariensis, 236
Phacidium, 238, 239; **abietinellum**, 237; abietinum, 238; Balsameae, 238; **convexum**, 238; expansum, 239; infestans, 237; planum, 238; Taxi, 239; **taxicolum**, 239
Phaeopeltosphaeria, 70, 81
Phakopsora, 41; **tecta**, 148
Phlyctaena septorioides, 179
Phoenix dactylifera, 223
Phoma, 254; Boltoniae, 245; Musae, 185, 186; ophites, 252; **Physopellae**, 252
Phomopsis, 222; **Hibisci**, 252
Phragmodothidea, 250; **Eucalypti**, 250
Phyllachora, 166; diplocarpa, 251; Scleriae, 164; **scleriicola**, 165; Tracyi, 251
Phyllosticta, 179, 180; Bumeliae, 167; **Ceanothi**, 166; confertissima, 33; **Dracocephali**, 252; Lappae, 33; **Rhynchosiae**, 166
Physalis pubescens, 123
Physalospora, 210–214, 216, 217; **fusca**, 210; gossypina, 212, 217; malorum, 206, 208, 210, 213, 214, 279; rhodina, 212, 213, 214, 216, 217
Physalospora on Citrus and other hosts, Two species of, Neil E. Stevens, 206
Physarum Bethelii, 188; globuliferum, 129; leucophaeum, 127; straminipes, 126; viride, 127
Physopella ficina, 252
Phytolacca decandra, 179
Phytomonas, 25
Phytophthora, 173
Picea, 38; excelsa, 38; mariana, 239
Pilacre divisa, 131
Pinus, 27, 180, 240; caribaea, 240; clausa, 240; contorta, 242, 274; echinata, 236, 240, 241, 242, 244; flexilis, 238; glabra, 242; inops, 240; monticola, 236, 243, 275; palustris, 240, 242, 251; pungens, 181; radiata, 125; resinosa, 242; rigida, 181, 236, 238, 240, 241; serotina, 241; silvestris, 237; Strobus, 180, 181; Taeda, 166, 236, 241, 242; virginiana, 181, 236, 240, 241
Pitcairnia pungens, 147
Pithecellobium Unguis-cati, 47
Pithecolobium Jupunba, 10
Platyopuntia, 132
Pleospora, 65, 70, 80, 250
Plowrightia morbosa, 83
Poinciana pulcherrima, 279
Polygonum hydropiperoides var. psilostachya, 89
Polynesian mycology, A bit of, Thomas H. Macbride, 125
Polyporus, 27, 111; anceps, 27; Betulinus, 36; galactinus, 28, 29; gilvus, 111; immitis, 27, 28, 29, 30; semisupinus, 28; semipileatus, 28

Polyporus anceps and Polyporus immitis, C. H. Kauffman, 27
Polyporus gilvus, Stratified sporophores of, Ray R. Hirt, 111
Polystichum, 35
Polytaenium lanceolatum, 45
Populus, 64; grandidentata, 253; tremuloides, 249
Poria semitincta, 36
Porto Rican rusts, Some new and interesting, Frank D. Kern and H. H. Whetzel, 39
Porto Rico and the Virgin Islands, The smuts of, H. H. Whetzel and F. D. Kern, 114
Preliminary note on the genus Chrysopsora, H. S. Jackson, 48
Problem of terminology in the rusts, The, J. C. Arthur and F. D. Kern, 90
Prospodium tuberculatum, 47
Prosthecium, 258
Protomyces Physalidis, 123
Prunus Besseyi, 253; melanocarpa, 82, 249; pennsylvanica, 37; serotina, 33; spinosa, 75
Psalliota campestris, 288
Pseudodichomera Elaeagni, 59; Laburni, 60
Pseudomonas amylovorus, 25; Avenae, 198
Pseudotsuga taxifolia, 275
Pseudovalsa, 257; lanciformis, 258, 266, 267, 270, 271; longipes, 264, 266, 271; profusa, 258; sigmoidea, 264, 271; umbonata, 267, 270, 271
Pseudovalsa, Cultural life histories of Melanconis and, Lewis E. Wehmeyer, 257
Psychotria, 17, 18
Pteridium, 140
Puccinia, 49; abrepta, 142; Alstroemeria, 154, 155; angulata, 159; angustatoides, 146, 147; antioquiensis, 141, 142; Bomareae, 155; canaliculata, 141; Cannae, 161; Commelinae, 40; consobrina, 44; Cryptotaeniae, 152; **Cypellae**, 159; Cyperi, 140, 144; Eleocharidis, 184; **flavovirens**, 142; Habranthi, 156; Junci, 150; juncophila, 150; Lantanae, 137; lateritia, 42; Lygodii, 140; Malvacearum, 93; microica, 152; **nociva**, 143, 144; **Nothoscordi**, 151; **oblongula**, 145; obscura, 149; **obvoluta**, 143; pallescens, 45; pallida, 45; Pallor, 156; Pasitheae, 152; Pitcairniae, 147; Reichei, 156; rhynchosporicola, 146; Scleriae, 144; Sisyrinchii, 160; Smilacis, 154; Sorghi, 44, 45; Sphenospora, 157, 158; Steinmanniae, 151, 152; straminea, 159; subcoronata, 141, 142; tenuis, 184; Thaliae, 161, 162; tuberculata, 47
Pyrus Malus, 252; melanocarpa, 247
Pyrenopeziza Rubi, 35

Quercus, 77, 81, 179, 267, 270, 279; coccinea, 264; Prinus, 184; rubra, 32, 265; undulata, 77; velutina, 32
Questieria, 109

Randia aculeata, 43; mitis, 43
Ravenelia Pithecolobii, 47
Reinking, O. A., Banana freckle and leaf spot, 185
Rhabdocline, 238
Rhipidium americanum, 175
Rhus typhina, 71
Rhytisma punctata, 35
Ribes, 278, 279
Ricinus communis, 279
Robinia pseudacacia, 61, 255
Roestelia Betheli, 188
Rosa, 210, 214; rubiginosa, 212; setipoda, 279
Rosen, H. R., Morphological notes together with some ultrafiltration experiments on the crown-gall pathogene, Bacterium tumefaciens, 193; New Amanita from Arkansas, A, 97; Number and arrangement of flagella of the fire blight pathogen, Bacillus amylovorus, The, 23
Rostrupia Scleriae, 144
Rousselia humilis, 41
Rubus allegheniensis, 34; strigosus, 75
Rumex occidentalis, 245
Rusts of South America based on the Holway collections—I, The, H. S. Jackson, 139
Rusts, The problem of terminology in the, J. C. Arthur and F. D. Kern, 90
Ryan, Ruth Winifred, Development of the perithecia in the Microthyriaceae and a comparison with Meliola, The, 100
Rynchospora, 145; aurea, 121; corniculata, 169; corymbosa, 44, 115, 119, 120, 121, 146, 147; cyperioides, 115, 120; erecta, 166; exaltata, 146; gigantea, 119, 120; scaberrima, 146

Sabal Palmetto, 218, 219
Salix, 65, 183, 279; pentandra, 183; purpurea, 183
Sambucus, 279
Sapromyces, 174; Reinschii, 176
Sauvagesia erecta, 18
Schroeteria Cissi, 121
Scilla chloroleuca, 153
Scleria pratensis, 145; sylvestris, 144; triglomerata, 165
Scleroderma Geaster, 284
Sclerotinia, 224, 231; baccarum, 226; Erythroniae, 228, 230, 232, 233; gracilis, 225, 226, 227, 229, 233, 234; Kerneri, 226; megalospora, 226
Sclerotinia—I, North American species of, H. H. Whetzel, 224
Sclerotiopsis concava, 253; **testudinea**, 253
Scolecodothis pinicola, 165
Seaver, Fred J., Ellsworth Bethel, 187; Mycological work in the Bermuda Islands, 137; Mycophagy, 94
Septoria Bumeliae, 166; canadensis, 33; cornicola, 33; Cornimaris, 33; Valerianae, 167; **Valerianellae**, 167
Serjania paucidentata, 14
Shepherdia argentea, 70; vulgaris, 69
Sida, 21, 22
Silphium, 150
Simaba, 18
Sisyrinchium andinum, 161; cuspidatum, 160; graminifolium, 160; iridifolia, 161; junciforme, 159; pedunculatum, 159
Sketching fleshy fungi with the aid of the camera lucida, Louis C. C. Krieger, 132
Smilax, 154, 158, 244; domingensis, 153; rotundifolia, 244
Smuts of Porto Rico and the Virgin Islands, The, H. H. Whetzel and F. D. Kern, 114
Solaria miersioides, 153
Some Florida fungi, Amy G. Weedon, 218
Some new and interesting Porto Rican rusts, Frank D. Kern and H. H. Whetzel, 39
Sorbus americana, 78; scopulina, 253
Sorghum vulgaris, 119
Sorosporium Sorghi, 118
South America based on the Holway collections—I, The rusts of, H. S. Jackson, 139
Spathantheum Orbignyanum, 147
Species of Meliola and Irene from British Guiana and Trinidad, F. L. Stevens and L. R. Tehon, 1
Sphacelotheca Hydropiperis, 89; Panici-leucophei, 115, 118; Paspali-notati, 117, 118; Sorghi, 115, 118
Sphaerella Andromedae, 164; Rumicis, 245
Sphaeria acervata, 64; Amorphae, 60; arcuata, 264; Berberidis, 51, 56, 57; callista, 80; canaliculata, 141; cinnabarina, 80; coccinea, 56; Coluteae, 60; conglobata, 65, 67; Crataegi, 75; cucurbitula f. flavescens, 56; cupularis, 56; decidua, 56; elongata, 60; Gleditschiae, 66; Hyperici, 67; junipericola, 67; Laburni, 59; lanciformis, 270; Mezerei, 68; molliuscula, 68; morbosa, 83; naucosa, 77; nidula, 68; occultata, 68; papilla, 248; parasitans, 69; pithyophila, 83; pubens, 84; quercina, 264; rugosa, 68; Spartii, 70; stilbostoma, 259; stipata, 71; tumorum, 84; varia, 72
Sphaeropsis, 206; **amplispora**, 254; **Cercidis**, 254; junipericola, 67; **Lycii**, 254; Musarum, 185
Sphaerotheca Castagnei, 288
Sphenospora pallida, 154, 157, 158; smilacina, 153; **yurimaguasensis**, 153
Spiranthes nitida, 162
Spondias lutea, 172; Mombia, 47
Spongipellis, 29
Sporobolus, 114; indicus, 115, 122;
Steganosporium, 254; elevatum, 270
Stegopezizella balsamea, 238
Stemonitis, 125; axifera, 127; flavogenita, 127; fusca, 130; herbatica, 129
Stenotaphrum secundatum, 116
Stevens, F. L. and L. R. Tehon, Species of Meliola and Irene from British Guiana and Trinidad, 1
Stevens, Neil E., Occurrence of the current cane blight fungus on numerous hosts in the southern states, 278; Two species of Physalospora on Citrus and other hosts, 206
Stratified sporophores of Polyporus gilvus, Ray R. Hirt, 111
Strickeria, 55
Sydowia **dothideoides**, 248
Syringa vulgaris, 69

Taphrina, 32, 35, 184; Cerasi, 37; coerulescens, 32; filicina, 35; Kruchii, 184; lutescens, 35
Tapirira guianensis, 13
Taxus canadensis, 239
Tecophilaea violaeflora, 154
Tehon, L. R., F. L. Stevens and, Species of Meliola and Irene from British Guiana and Trinidad, 1
Teichospora, 55, 68, 72; insecura, 73; pomiformis, 79; solitaria, 73
Terminalia argentea, 41
Terminology in the rusts, The problem of, J. C. Arthur and F. D. Kern, 90
Testicularia Cyperi, 169, 170
Testicularia Cyperi, Notes on, C. W. Edgerton and E. C. Tims, 169
Thalia dealbata, 162
Thecaphora Guyotiana, 87; pustulata, 115, 122
Thespesia grandiflora, 46
Tilia americana, 265
Tilletia Guyotiana, 87; Holci, 87; Rauwenhoffii, 87; Sorghi-vulgaris, 118
Tims, E. C., C. W. Edgerton and, Notes on Testicularia Cyperi, 169
Tolyposporella, 114; Brunkii, 122; **Sporoboli**, 115, 122
Tradescantia elongata, 149
Trametes, 28
Trematosphaeria Triacanthi, 66
Trichia, 131; decipiens, 128; lateritia, 128; varia, 128; verrucosa, 128
Trichobasis Lynchii, 162
Trinidad, Species of Meliola and Irene from British Guiana and, F. L. Stevens and L. R. Tehon, 1
Tripsacum lanceolatum, 45
Triticum aestivum, 117
Two species of Physalospora on Citrus and other hosts, Neil E. Stevens, 206
Tympanis Buchsii, 243

Ulmus americana, 33; fulva, 33
Uredinopsis, 36; macrosperma, 140
Uredo Alstroemeriae, 157; Aneimiae, 140; bidenticola, 44; Bidentis, 44; Blechni, 45; Bomareae, 155; **Borreriae**, 42; **Buchenaviae**, 41; Byrsonimatis, 41; **Campeliae**, 40; Cannae, 161; Cissi, 121; Commelyneae, 40, 148, 149; Dioscoreae, 157, 158, 159; farinosa, 43; globulosa, 157; Gossypii, 46; **guaynabensis**, 41; Gymnogrammes, 46; Hypoxidis, 157; Kyllingiae, 144; Lygodii, 140; **macella**, 150; macrospermum, 140; Nidularii, 148; **nociviola**, 144; ochracea, 40, 149; pallida, 45; **Rousseliae**, 40; segetum Tritici, 117; Spegazzinii, 149; Spondiadis, 47; superficialis, 46; **tenebrosa**, 160; Terminaliae, 41; tuberculata, 47; yurimaguasensis, 153, 154
Urocystis Ceuplae, 123; **Flowersii**, 286
Uromyces affinis, 157; Alstroemeriae, 157; Betheli, 188; bidenticola, 44; Bidentis, 221; Borreriae, 42; **Bunsteri**, 160; Celosiae, 44; Commelinae, 40, 149; Dusenii, 153; Junci, 150, 151; Junci-tenuis, 150; leptodermus, 43; **oblectaneus**, 146; plumbarius, 42; probus, 160, 161; rhynchosporicola, 146; Rhyncosporae, 146, 147; Scleriae, 145; Silphii, 150; Sisyrinchii, 160, 161; sisyrinchiicola, 160, 161; Solariae, 153; Spegazzinii, 149; Spermacoces, 43; Triteleiae, 153
Ustilagineae of Washington, Notes on the, George L. Zundel, 87
Ustilago affinis, 115, 116; americana, 116; apiculata, 122; axicola, 119; bromivora, 88; bromivora macrospora, 89; (Sorosporium?) Brunkii, 122; Fimbristylis, 119; Henningsii, 116; Hilariae, 116; insularis, 118; leucoderma, 119; Maydis, 117; Panici-leucophaei, 118; Paspalinotati, 118; Schröteriana, 117, 118; segetum, 117; segetum Tritici, 117; Sorghi, 119; Stenotaphri, 116; Tritici, 115, 117; Tritici f. folicola, 117; Tulasnei, 119; Zeae, 117; Zeae-Mays, 117
Ustulina, 288

Vaccinium, 276; corymbosum, 277; membranaceum, 274, 275; pennsylvanicum, 274; Vitis-Idaea, 274, 277
Valeriana dioica, 167
Valerianella radiata, 167
Valota insularis, 115, 118
Valsaria Gleditschiae, 66
Valsella Laschii, 253
Venturia **lanea**, 246
Virgin Islands, The smuts of

Porto Rico and the, H. H. Whetzel and F. D. Kern, 114
Vismia latifolia, 18
Volutella **caricicola**, 168

Wallrothiella macilenta, 83
Washington, Notes on the Ustilagineae of, George L. Zundel, 87
Weedon, Amy G., Some Florida fungi, 218
Wehmeyer, Lewis E., Cultural life histories of Melaconis and Pseudovalsa, 257
Weir, James Robert, Observations on Calyptospora columnaris and Peridermium ornamentale, 274
Welch, Donald Stuart, Monographic study of the genus Cucurbitaria in North America, A, 51
Whetzel, H. H., North American species of Sclerotinia—I, 224
Whetzel, H. H. and Frank D. Kern, Smuts of Porto Rico and the Virgin Islands, The, 114
Whetzel, H. H., Frank D. Kern and, Some new and interesting Porto Rican rusts, 39

Xanthosoma, 147
Xyris elata, 168

Zea Mays, 44, 45, 117
Zignoella **ostiolata**, 248
Zundel, George L., Notes on the Ustilagineae of Washington, 87
Zygadenus elegans, 286